Tepikin AV, Llopis J, Snitsarev VA, Gallacher DV, Petersen OH: The droplet technique: measurement of calcium extrusion from single isolated mammalian cells 664
Tewari K, Simard JM: Protein kinase A increases availability of calcium channels in smooth muscle cells from guinea pig basilar artery 9
Thämer V → Schlack W
Thibaud J-B → Véry A-A
Thorn P, Petersen OH: A voltage-sensitive transient potassium current in mouse pancreatic acinar cells 288
Tomita Y, Inooka G, Shimada H, Maruyama Y: Ca^{2+}-dependent unidirectional vesicular release detected with a carbon-fibre electrode in rat pancreatic acinar cell triplets 69
Tsang BK → Mealing G
Tsukahara H → Gordienko DV

Uebing A → Schlack W
Ueda S → Itoh A

Vacca G, Mary DASG, Vono P: The effect of distension of the stomach on coronary blood flow in anaesthetized pigs 127
Van der Kloot W, Balezina OP, Molgó J, Naves LA: The timing of channel opening during miniature endplate currents at the frog and mouse neuromuscular junctions: effects of fasciculin-2, other anti-cholinesterases and vesamicol 114
Van Driessche W → De Smet P
Van Driessche W, Erlij D: Cell swelling activates a poorly selective monovalent cation channel in the apical membrane of toad urinary bladder 1
Van Kerkhove E → Dijkstra S
Van Os CH → Rose UM
Veerkamp JH → Benders AAGM
Verri T → Norbis F
Véry A-A, Bosseux C, Gaymard F, Sentenac H, Thibaud J-B: Level of expression in *Xenopus* oocytes affects some characteristics of a plant inward-rectifying voltage-gated K^+ channel 422
Viana F→ Nilius B
Vihko V → Komulainen J
Vincent A → Barrett-Jolley R
Vono P → Vacca G

Wang XF, Zhu PH: Effect of activation of protein kinase C on excitation-contraction coupling in frog twitch muscle fibres 224
Watkins CS, Mathie A: Modulation of the gating of the transient outward potassium current of rat isolated cerebellar granule neurons by lanthanum 209
Weber K → Oike M
Weber M → Steinhäuser C
Wendelaar Bonga SE → Benders AAGM
Whitfield JF → Mealing G
Wigham CG, Guggenheim JA, Hodson SA: Sodium movement into and out of corneal endothelium 577
Willow M → Nicholson GM
Wilson GG, O'Neill CA, Sivaprasadarao A, Findlay JBC, Wray D: Modulation by protein kinase A of a cloned rat brain potassium channel expressed in *Xenopus* oocytes 186
Wray D → Wilson GG
Wray S → Ramsey J
Wünsch S → Gekle M

Xiong Z, Sperelakis N, Fenoglio-Preiser C: Isoproterenol modulates the calcium channels through two different mechanisms in smooth-muscle cells from rabbit portal vein 105

Yamagishi S → Furuya K
Yamashita H, Sato Y, Kizaki T, Oh-ishi S, Nagasawa J-i, Ohno H: Basic fibroblast growth factor (bFGF) contributes to the enlargement of brown adipose tissue during cold acclimation 352
Young JA → Dinudom A
Young JA → Komwatana P

Zachar E → Häussler U
Zang W-J → Boyett MR
Zhu PH → Wang XF

Subject index

A

Acclimation 352
4-Acetamido-4′-isothiocyanatostilbene-2,2′-disulfonic acid (SITS) 307
Acetylcholine 114, 163, 275, 288, 340, 476, 542, 604
Acetylcholine nicotinic receptor 340
ACh-evoked $[Ca^{2+}]_i$ signals 163
ACh-gated channels 340
Acid base regulation 674
Acidification cellular 631
Acidosis 631
Acinar cells 163, 288, 664
Action potentials 307
Activation kinetics 422
Activator of protein kinase C, 1-oleoyl-2-acetylglycerol 468
Active-transport processes 150
Adenosine 357, 526
Adenosine triphosphate 372, 446
Adenyl cyclase inhibition 604
Adenylate cyclase(cAMP/protein-kinase-A cascade 105
Adrenal renin m-RNA 261
Aequorin 357
Afterdepolarizations 425
After-hyperpolarization 300
Aldosterone 157
Alkaline phosphatase 391
Alkaline secretion 648
Amiloride 157, 232
Aminopeptidase 391
4-Aminopyridine 288
Angiotensin I 261
Angiotensin II 97, 173, 604
Anoxia 142
Anterior pituitary 17
Anthracene-9-carboxylate (A9C) 641
Anti-cholinesterases 114
Apamin 300
Apical membrane 1
Aquaporin CHIP 455
A7r5 cells 283
Arabidopsis thaliana 422
Arginine vasopressin 283, 410
Arrhythmias 425
Arsenazo III 224
Arterial haemodynamics 533
Arterial impedance 533
Astrocytes 97
ATP 97, 583, 597, 641
ATP depletion 142
ATP-sensitive K-channels 194
ATP-sensitive potassium channels 526
Atrial myocytes 542
Atropine 127
Australian funnel-web spider *Hadronyche versuta* 400
Autocrine mechanisms 352
Autoimmunity 492

B

B receptors of cholecystokinin 671
Ba^{2+} 9, 307, 508, 552, 641
Ba^{2+} current 39
BAPTA acetoxymethyl ester 97
Barium 60
Basic fibroblast growth factor (bFGF) 352
Basilar artery 9
Basolateral membrane 202
Basolateral voltage divider ratio 150
BAY K8644 9
Benzofuran isophtalate (SBFI) 461
Bicarbonate secretion 648, 655
Biophysical properties 446
Boltzmann function 9
Bradykinin 97, 597
Brain potassium channel 186
Brainstem slice 250
8-Br-cAMP 186

Tepikin AV, Llopis J, Snitsarev VA, Gallacher DV, Petersen OH: The droplet technique: measurement of calcium extrusion from single isolated mammalian cells 664
Tewari K, Simard JM: Protein kinase A increases availability of calcium channels in smooth muscle cells from guinea pig basilar artery 9
Thämer V → Schlack W
Thibaud J-B → Véry A-A
Thorn P, Petersen OH: A voltage-sensitive transient potassium current in mouse pancreatic acinar cells 288
Tomita Y, Inooka G, Shimada H, Maruyama Y: Ca^{2+}-dependent unidirectional vesicular release detected with a carbon-fibre electrode in rat pancreatic acinar cell triplets 69
Tsang BK → Mealing G
Tsukahara H → Gordienko DV

Uebing A → Schlack W
Ueda S → Itoh A

Vacca G, Mary DASG, Vono P: The effect of distension of the stomach on coronary blood flow in anaesthetized pigs 127
Van der Kloot W, Balezina OP, Molgó J, Naves LA: The timing of channel opening during miniature endplate currents at the frog and mouse neuromuscular junctions: effects of fasciculin-2, other anti-cholinesterases and vesamicol 114
Van Driessche W → De Smet P
Van Driessche W, Erlij D: Cell swelling activates a poorly selective monovalent cation channel in the apical membrane of toad urinary bladder 1
Van Kerkhove E → Dijkstra S
Van Os CH → Rose UM
Veerkamp JH → Benders AAGM
Verri T → Norbis F
Véry A-A, Bosseux C, Gaymard F, Sentenac H, Thibaud J-B: Level of expression in *Xenopus* oocytes affects some characteristics of a plant inward-rectifying voltage-gated K^+ channel 422
Viana F→ Nilius B
Vihko V → Komulainen J
Vincent A → Barrett-Jolley R
Vono P → Vacca G

Wang XF, Zhu PH: Effect of activation of protein kinase C on excitation-contraction coupling in frog twitch muscle fibres 224
Watkins CS, Mathie A: Modulation of the gating of the transient outward potassium current of rat isolated cerebellar granule neurons by lanthanum 209
Weber K → Oike M
Weber M → Steinhäuser C
Wendelaar Bonga SE → Benders AAGM
Whitfield JF → Mealing G
Wigham CG, Guggenheim JA, Hodson SA: Sodium movement into and out of corneal endothelium 577
Willow M → Nicholson GM
Wilson GG, O'Neill CA, Sivaprasadarao A, Findlay JBC, Wray D: Modulation by protein kinase A of a cloned rat brain potassium channel expressed in *Xenopus* oocytes 186
Wray D → Wilson GG
Wray S → Ramsey J
Wünsch S → Gekle M

Xiong Z, Sperelakis N, Fenoglio-Preiser C: Isoproterenol modulates the calcium channels through two different mechanisms in smooth-muscle cells from rabbit portal vein 105

Yamagishi S → Furuya K
Yamashita H, Sato Y, Kizaki T, Oh-ishi S, Nagasawa J-i, Ohno H: Basic fibroblast growth factor (bFGF) contributes to the enlargement of brown adipose tissue during cold acclimation 352
Young JA → Dinudom A
Young JA → Komwatana P

Zachar E → Häussler U
Zang W-J → Boyett MR
Zhu PH → Wang XF

Subject index

A

Acclimation 352
4-Acetamido-4′-isothiocyanatostilbene-2,2′-disulfonic acid (SITS) 307
Acetylcholine 114, 163, 275, 288, 340, 476, 542, 604
Acetylcholine nicotinic receptor 340
ACh-evoked $[Ca^{2+}]_i$ signals 163
ACh-gated channels 340
Acid base regulation 674
Acidification cellular 631
Acidosis 631
Acinar cells 163, 288, 664
Action potentials 307
Activation kinetics 422
Activator of protein kinase C, 1-oleoyl-2-acetylglycerol 468
Active-transport processes 150
Adenosine 357, 526
Adenosine triphosphate 372, 446
Adenyl cyclase inhibition 604
Adenylate cyclase(cAMP/protein-kinase-A cascade 105
Adrenal renin m-RNA 261
Aequorin 357
Afterdepolarizations 425
After-hyperpolarization 300
Aldosterone 157
Alkaline phosphatase 391
Alkaline secretion 648
Amiloride 157, 232
Aminopeptidase 391
4-Aminopyridine 288
Angiotensin I 261
Angiotensin II 97, 173, 604
Anoxia 142
Anterior pituitary 17
Anthracene-9-carboxylate (A9C) 641
Anti-cholinesterases 114
Apamin 300
Apical membrane 1
Aquaporin CHIP 455
A7r5 cells 283
Arabidopsis thaliana 422
Arginine vasopressin 283, 410
Arrhythmias 425
Arsenazo III 224
Arterial haemodynamics 533
Arterial impedance 533
Astrocytes 97
ATP 97, 583, 597, 641
ATP depletion 142
ATP-sensitive K-channels 194
ATP-sensitive potassium channels 526
Atrial myocytes 542
Atropine 127
Australian funnel-web spider *Hadronyche versuta* 400
Autocrine mechanisms 352
Autoimmunity 492

B

B receptors of cholecystokinin 671
Ba^{2+} 9, 307, 508, 552, 641
Ba^{2+} current 39
BAPTA acetoxymethyl ester 97
Barium 60
Basic fibroblast growth factor (bFGF) 352
Basilar artery 9
Basolateral membrane 202
Basolateral voltage divider ratio 150
BAY K8644 9
Benzofuran isophtalate (SBFI) 461
Bicarbonate secretion 648, 655
Biophysical properties 446
Boltzmann function 9
Bradykinin 97, 597
Brain potassium channel 186
Brainstem slice 250
8-Br-cAMP 186

Bretylium tosylate 127
8-Bromo-cyclic adenosine monophosphate (8-Br-cAMP) 9
Bronchial epithelial cells 590, 597
Brown adipose tissue 352
Brush border markers 391
2,3-Butanedione monoxime 134

C

Ca^{2+} 1, 307, 468
Ca^{2+} channel 9, 39
Ca channel gating charge movements 485
Ca^{2+} channels 542
Ca^{-} current 596
Ca^{2+} currents 105, 241
Ca^{2+} entry pathways 439
Ca^{2+} extrusion 664
Ca^{2+} from intracellular stores 596
Ca^{2+} handling 331
Ca^{2+} imaging 283
Ca^{2+} influx 51, 97, 439, 583
Ca^{2+}, intracellular 415, 596
Ca^{2+} ionophore 468
Ca^{2+} ionophore, A23187 69
Ca^{2+} ionophore ionomycin 597
Ca^{2+} oscillations 283
Ca^{2+} overload 142
Ca^{2+} sensitivity 357
Ca sensitivity 561
Ca^{2+} signalling pathways 340
Ca^{2+} transients 224, 357, 476
Ca^{2+} wave 283
Ca-activated force 561
Ca^{2+}-activated K^{+} channels 516
Ca^{2+}-ATP-activated K^{+} channels 446
Cable analysis 150
Ca^{2+}-blockable channel 1
Ca^{2+}-dependent exocytosis 69
Caesium blockade 422
Caffeine 275
Ca^{2+}-free perfusion 552
Caged compounds 269
"Caged" $InsP_3$ 269
$[Ca^{2+}]_i$ 275
$[Ca^{2+}]_i$ elevation 323
Ca_i^{2+} response 97
Ca-induced activation 597
Calcitonin gene-related peptide (CGRP) 604
Calcium 51, 60, 340, 446
Calcium channels 9, 105, 415, 499, 542
Calcium currents 39, 241, 307, 499
Calcium entry antagonists 433
Calcium extrusion 664
Calcium homeostasis 461
Calcium ions 173
Calcium signalling 163
Calcium-binding protein 300
Calcium-dependent action potentials 307
Calcium-dependent chloride conductance 307
Calcium-dependent potassium channel 300
Calcium-release-activated calcium current 433
Calretinin 300
cAMP 17, 76, 97
cAMP-dependent activation 590
Capacitative calcium entry 433
Capillary bed 455
Carbachol 439, 508, 542, 655
Carbon-fibre electrode 69
Carcinoma cells 179
Cardiac hypertrophy 533
Cardiac muscle 39, 357, 415
Cardiac muscle fibres 331
Cardiac myocytes 485, 674
Cardiac Na channel 485
Cardiac Na^{+} channels 84
Cardic mass 533
Cardiocytes 84
Cardiomyocytes 142, 296
Cardiomyocytes in primary culture 241
Cardiorespiratory control 250
Cardiovascular reflex 127
Ca^{2+}-release sites 269
Ca^{2+} removal 51
Ca^{2+}-sensitive K^{+} channels 621
Cation channel 1
Cation currents 583
C2C12 myotubes 340
cDNA cloning 217
Cell capacitance 30
Cell culture 296
Cell injury 142
Cell membrane capacitance 30
Cell membrane conductance 30
Cell membranes 150
Cell swelling 1
Cell swelling hypotonic 597
Cell volume 142
Cell volume regulation 94, 552
Central nervous system 671
CEPAC-1 76
Cerebral arterial muscle cell membranes 621
Cerebral circulation 621
CFPAC-1 583
CFTR 590
CGRP analog hCGRP (8–37) 604
Channel opening 114
Channels, non selective 433
Charge movement 485
Charge/voltage relationship 315
Charybdotoxin 300
Chloride channels 323, 433
Chloride conductance 76, 269, 307
Chloride currents 94, 364
Cholecystokinin 671
Cholera toxin 17
Cimetidine 597
Circulating cytokine concentrations 197
Cl^{-} channel antagonists 4,4′-diisothiocyanatostilbene-2,2′-disulfonic acid (DIDS) 307
Cl^{-} channel blocker 5-nitro-2-(3-phenylpropylamino)benzoic acid (NPPB) 307
Cl^{-} channel blockers 641
Cl^{-} channels 323, 590
Cl^{-} conductance 597, 641
Cl^{-} currents 364
Cl^{-} secretion 76, 597
Clonal rat pituitary cells 17
CO_2 concentration 631
Colcemid 596
Cold acclimation 352
(Cole-Moore shift) 315
Collecting duct 157
Colonic epithelium 508
Concentration 410
Cones, and rods 372
Contraction 415, 674
Copper toxicity 461
Corneal endothelium 577
Coronary blood flow 127
Coronary myocytes 674
Cortical collecting duct principal cells 631
Cromolyn 433
Culture dish 296
Culture dish two-compartment 296
Cultured embryonic chick dorsal-root ganglion neurons 499
Cultured endothelial cell line 91
Cultured human skeletal muscle cells 461
Cultured rat cardiomyocytes 296
Cultured subepithelial fibroblasts 97
Current desensitizing inward 232
Current/voltage (I/V) relation 202
Cyclic AMP 357, 526
3′,5′-Cyclic GMP 372
Cystic fibrosis 508, 597
Cystic fibrosis transmembrane conductance regulator 76
Cytochalasin B 596
Cytochalasin D 323
Cytokine concentrations 197
Cytokine production 197
Cytolysis 134
Cytoskeletal modulation 596
Cytoskeleton 323
Cytosolic Ca^{2+} 516
Cytosolic calcium 51

D

Deconvolution methods 418
Delayed rectifier K^{+} current 315
Dendrotoxin-binding site in mKv1.1 382
Depolarization 17
Desensitization 163
Desensitization to muscarinic effects 542
Dibutyryl cyclic adenosine monophosphate (db-cAMP) 288
Dibutyryl(BT_2)-cAMP 97
Dideoxyforskolin 364
DIDS 60, 648
DIDS-blockable alkalinization 179
Dihydropyridine, BAY K8644 9
Diisopropyl fluorophosphate (DFP) 114
4,4′-diisothiocyanato-stilbene-2,2′-disulphonate acid (DIDS) 60, 590, 641
Dinitrophenol 150
Diphenhydramine 597
Diphenylamine-2-carboxylate (DPC) 641
Distension of the stomach 127
2,5-di-(*tert*-butyl)-1,4-benzohydroquinone 331
Dithiotreitol 315
Dorsal root ganglion neurons 400, 499
Droplet technique 664
DTT 461
Dual-frequency method 30
Duodenal villi 97

E

Early afterdepolarizations 425
Econazole 433
EDNO 261

EDRF 261
Electrogenic chloride secretion 508
Electrogenic potassium secretion 508
Electrogenic sodium absorption 508
Electrotonic interactions 425
Endothelial cell line 91
Endothelial cells 94, 455, 476, 596
Endothelins (ET1 and ET3) 97
Endothelioma cells 364
Endothelium 364, 476, 577
Endothelium derived relaxing factor 261
Endplate current 114
Enlargement of brown adipose tissue 352
Enteric nervous system 300
Enterocyte brush border markers 391
Enterocyte differentiation 391
Enzyme release 346
Epithelia 1
Epithelial cell line 468
Epithelial cell line CFPAC-1 583
Epithelial cells 455, 590, 597
Epithelial gene expression 391
Epithelial transport 516
Equilibrium potential of K^+ 468
Excitability of S neurons 300
Excitation-contraction coupling 224, 415
Exercise-induced necrotic muscle damage 346
Exocrine pancreatic acinar cell 30
Exocytosis 30, 69
Expression cloning 217
External pH alteration 674

F

Fasciculin-2 114
Ferret papillary muscles 357
Fever 671
Fibroblasts 97, 364
Flufenamate 583
Fluid secretion 163, 288, 516
Fluorescence microscopy 142
FMRFamide-induced current 232
Follicle-associated epithelium 391
Follicular *Xenopus* oocytes 604
Force depression 561
Forskolin 76, 508, 590
Free cytosolic calcium 51
Frusemide 508
Funnel-web spider *Hadronyche versuta* 400
Fura-2 51, 97, 142, 275, 296, 461, 583
Fura-2 microspectrofluorimetry 163
Furaptra 476

G

G protein activation 323
G protein gating 105
G proteins 17, 51, 439, 542
Gastric fundus mucosa 648, 655
Gating 315
Gating characteristics 209
Gating of ion channel 232
Gd^{3+} 60, 583
GDP[βS] (guanosine 5′-O-2-thio-diphosphate) 105
Gekko gekko 372
GH_3/B_6 cells 17
Glial cells 610
Glibenclamide 526, 590, 604, 641
β-Glucuronidase activity 346
Gq/G_{11}-protein 51
Granular duct cells 641
Granular ducts 202
Granulosa cells 307
GTP-binding proteins 232
GTP[γS] 30
Guanosine 5′-O-(2-thiodi-phosphate)(GDP [β-S]) 232
Guanosine triphosphate 372
Guanylate cyclase 372
Guillain-Barré syndrome 492

H

HCO_3^- secretion 655
HCO_3^-/Cl^- exchanger 179
Heart 39, 134, 415, 674
Heavy metal chelator N,N,N′,N′-tetra-kis(2-pyridylmethyl)ethylenediamine (TPEN) 461
Helix neurone 232
Henle's loops 410
Heparin 51
Heparin-sensitive store 51
Hepatectomy 26
Hepatocyte plasma membrane 552
HEPES-buffered Ringer solution 648
Heteromultimer 382
Hippocampal glial cells 610
H-7[1-(5-isoquinolinylsulfonyl)-2-methyl-piperazine dihydrochloride] 105
Histamine 468, 590, 597, 655
HOE-694 179
HT_{29} cells 76
HT_{29} colon carcinoma cells 179
Human cardiocytes 84
Human embryonic skeletal muscle cells 323
Human intestinal epithelial cell line 468
Human skeletal muscle 84
Human skeletal muscle cells 461
Human submandibular ductal cell line 439
Human umbilical vein 91
Human vascular endothelial cells 596
Hydrogen peroxide (H_2O_2) 561
Hyperpolarisation 17, 476
Hyperpolarizing vasodilators 604
Hypertension 533
Hypochlorous acid (HOCl) 561
Hypoglossal motonucleus (XII) 250
Hypothalamus 26
Hypotonic cell swelling 597
Hypotonic solutions 94
Hypoxia 621
Hypoxia-induced vasodilatation 526
Hypoxic vasoconstriction 446

I

Iberiotoxin 300
Ileum 217
Iloprost 526
Immunoregulation 391
In situ hybridisation 391
In vitro preparation 250
Inactivation 382, 400
Inactivation kinetics 84
Indanyloxyacetic acid (IAA-94) 641
Infarct size 134
Influx of Ca^{2+} 446
Inhibition of V2 receptors 410
Inhibitor of the Ca^{2+} pump 331
Injury current 425
Inositol 1,4,5-triphosphate 51
Inositol trisphosphate ($InsP_3$) 269
Intercalated cell properties 157
Intercellular coupling 425
Interculture variability 296
Interleukin-6 197
Interleukin-1α 197
Interleukin-β 197
Interlobar artery 91
Internal chloride 194
Intestinal epithelial cell line 468
Intestinal secretion 468
Intracellular ATP concentration 621
Intracellular Ca^{2+} 596
Intracellular Ca^{2+} homeostasis 275
Intracellular Ca^{2+} ion concentration 476
Intracellular Ca^{2+} signals 275
Intracellular calcium 17, 94, 97, 415
Intracellular calcium concentration 142
Intracellular free Ca^{2+} concentration 621
Intracellular guanosine-5′o-(3-thiotri-phosphate ($GTP_\gamma S$) 542
Intracellular membrane surface of $K_{Ca,ATP}$ channels 446
Intracellular messengers 163
Intracellular pH 631, 674
Intralobular duct cells 202
Inward-rectifying K^+ current 17
Inward-rectifying, voltage-gated K^+ channel 422
Ion channel development 241
Ion channels 202, 232
Ion conductances 590, 597
Ion selectivity 202
Ionomycin 468, 597
Ion-selective fluorescent probes 461
Ion-selective microelectrodes 577
Ion-transporting activity 508
Ischaemia 142
Ischaemia-reperfusion 134
Ischemic region 425
Islets of Langerhans 275
3-Isobutyl-1-methylxanthine 604
Isolated cerebellar granule neurons 209
Isolated human cardiocytes 84
Isolated kidneys 173
Isolated mammalian cells 664
Isolated proximal cells 60
Isolated rabbit hearts 526
Isolated rat aorta 476
Isolated renal cells 60
Isolated ventricular cardiomyocytes 142
Isoproterenol 105, 590
1-(5-isoquinolinylsulphonyl)-2-methyl-piperazine 224

J

Juvenile Na^+ channels 84
Juxtaglomerular cells 173, 261

K

K^+ channel inward-rectifying voltage-gated 422

K^+ channel openers 604
K^+ channels 382, 446, 468, 542, 552, 621, 631
K^+ channel-SH groups 315
K^+ conductances 597, 604, 631
K^+ current 288, 468
K^+ efflux 516
K^+ efflux, basolateral 516
K^+ fluxes 552
K^+ homeostasis 1
K^+ secretion 157, 508, 631
K_{ATP} channels 194, 526, 604
K-channels 194, 300
Kidney 157
Krebs-Henseleit perfusate 552

L

L-365,260 671
Lacrimal gland 163
Lactase 391
Lanthanum 209
Leupeptin 9
Li^+ 224
Lidocaine 485
Ligand-gated channel 232
Light-sensitive excised patches 372
Lipopolysaccharide 671
Lithium 224
Liver 552
Liver regeneration 26
Local anesthetics 485
L-type Ca^{2+} channels 9, 51

M

Magnesium (Mg^{2+}) 331
Malpighian tubule of *Formica* 150
Mandibular acinar cells 163
Mandibular gland 641
Mandibular glands 202
Mast cells 30, 364, 433
Mature mammals 250
Maxi-K^+ channels 516
Maximum likelihood estimator 418
MDCK-cell subtypes 157
Mechanosensitivity 596
Membrane conductance 30
Membrane potential 476, 552
Membrane voltages 631
β-Mercaptoethanol 315
Metabotropic function 340
Mg-ATP-activated 446
Microfluorimetry 275
Microvascular endothelial cells 455
Miniature endplate currents 114
Monocytes 197
Monovalent cation channel 1
Monovalent cations 372
Monte Carlo study 418
mRNA and enzyme activity 391
Murine colonic epithelium 508
Muscarine receptor 269
Muscarinic effects 542
Muscarinic receptor kinase 542
Muscarinic receptor stimulation 439
Muscle cell membranes 621
Muscle damage 346
Muscle fibres 224
Mutagenesis 382
Myasthenia gravis 492
Myenteric plexus neurons 300
Myoballs 323
Myocardial ischemia 425
Myocardial protection 134
Myocytes 39, 415
Myofibrillar cross-bridge cycling 134
Myometrial cells 51
Myoplasmic Ca^{2+} 340
Myotubes 340

N

Na channel gating charge movements 485
Na^+ channels 84, 485
Na^+ currents 91
Na^+/Ca^{2+} exchanger 296, 461
Na^+/Ca^{2+} exchanger activity 296
nAChR phosphorylation 492
Na^+-dependent HCO_3^- transporter 179
Na^+/H^+ exchanger 179
Na^+-/$(HCO_3^-)_n$ cotransport 648, 655
Na^+/K^+-ATPase 461, 577
Na-K-2Cl cotransport inhibitor, frusemide 508
$Na^+/SO^{2-}{}_4$ cotransporter 217
Neonatal mammals 250
Neonatal rat ventricular cells culture 241
Neonate 197
Neostigmine 114
Neuromuscular junction 114
Neurones rhythmically discharging 250
Neuropeptide Phe-Met-Arg-Phe-NH_2 (FMRFamide) 232
Neuropeptides 671
NH_4^+/NH_3 631
Nicotinic acetylcholine receptor 492
Nitric oxide 173
5-Nitro-2-(3-phenylpropylamino)-benzoate (NPPB) 641
NO-donor sodium nitroprusside 261
Noise analysis 1
Non-excitable cell types 364
Non-selective cation channel blocker, flufenamate 202
Non-selective channels 433
Norepinephrine-induced inhibition 499
Normotension 533
NO-synthase inhibitor nitro-L-arginine-methylester (L-NAME) 261
N-type calcium current 499
Nucleoside triphosphates 372
Nucleotide agonists 597
Nucleus ambiguus 250
Nucleus of the solitary tract 250

O

Open state probability 621
Organic mercurial compound 315
Ouabain 461, 552
Ouabain-induced depolarisation 577
Oxidation currents 69
Oxodipine 51
Oxyntopeptic cells 655
Oxyrase 142
Oxytocin 1, 51
Oxytocin receptors 51
Oxytocin antagonist $d(CH_2)_5$[$Tyr(Me)^2$, Thr^4,$Tyr\text{-}NH_2^9$]OVT 51

P

Pancreatic acinar cell triplets 69
Pancreatic acinar cells 288
Pancreatic β-cells 194
Pancreatic somatostatin-secreting cells 275
Papillary muscles 357
Paracellular clefts 69
Parotid isolated acinar cells 269
Patch clamp 30, 51, 232, 241, 364, 476, 516, 596, 610, 621, 631
Patch-clamp experiments 288, 597
Patch-clamp techniques 9, 76
Peanut-lectin(PNA) 157
Perfused rat liver 552
Perfusion pressure, renal 261
Pertussis toxin 17
Pertussis-toxin-insensitive G protein(s) 105
Peyer's patch tissue 391
Phalloidin 596
pH_i 631
Phorbol 12,13-dibutyrate (PDBu) 224
4α-phorbol 12,13-didecanoate (PDC) 60
Phorbol ester 60, 163
Phorbol 12-myristate 13-acetate (PMA) 76
Phosphodiesterase 372
Phospholipase C 51
Phosphorylation 186, 492
Photoreceptors 372
Photorelease of caged compounds 269
pH-sensitive fluorescent dye 2'-7'-bis (carboxythyl)-5-6-carboxyfluorescein (BCECF) 631
pH-sensitive microelectrodes 655
p-Hydroxymercuriphenylsulfonic acid (PHMPS) 315
Pituitary cells 17
PKC activator 224
Plasma renin activity (PRA) 261
Point mutation 186
Polarized secretion 69
Polyadenylation signals 217
Polymyxin B 224, 468
Portal vein 105
Potassium channels 186, 202, 250, 300, 422, 542, 610
Potassium current 209, 288
Pregnant rats 51
Pre-pulse potentials 315
Pressure control 173
Presynaptic discharge 499
Principal cell properties 157
Prostacyclin 526
Prostaglandins 526
Protein kinase A 9, 17, 186
Protein kinase A activation 604
Protein kinase C 60, 163, 224, 468
Protein phosphorylation 60
Protonophore 150
Pulmonary artery 446
Pulsatile haemodynamics 533
Purinergic receptor 597

Q

Quantal analysis 418
Quinidine 552

R

RAAS 261
Rat ileum 217
^{86}RB fluxes 508
Reactive oxygen species 561
Rectifier K^+ current 315
Rectifying K^+ currents 468
Regional contractile blockade 134
Regulatory volume decrease 94
Renal and adrenal renin m-RNA levels 261
Renal baroreceptor 173
Renal cortico-papillary NaCl gradient 410
Renal medulla 410
Renal medullary interstitium 410
Renal perfusion pressure 261
Renin secretion 173
Reperfusion 134
Respiratory activity 250
Resting membrane potential 476
Resting potentials 307
Rigor contraction 142
Rods and cones 372
Rubidium-86 fluxes 508
Ruthenium 331
Ryanodine 275
Ryanodine receptors 415

S

Salivary gland 163, 455, 516
Sarcoplasmic reticulum (SR) Ca^{2+} accumulation 331
Second messenger 492
Second messenger for CGRP 604
Secretion 516
Secretory epithelium 597
Sensory neuron N-type calcium currents 499
Seronegative myasthenia gravis 492
Serotonin 69, 97
Serum enzymes 346
-SH group reducing agents 315
Single cells 30
Single channel conductance 315
Single isolated mammalian cells 664
Single myometrial cells 51
Skeletal muscle 84, 224, 331, 346
Skeletal muscle cells 323, 461
SK & F 96365 433
Skinned muscle 561
Skinned skeletal fibres 331
Slope conductance 202
Small-intestinal $Na^+/SO^{2-}{}_4$ cotransporter 217
Smooth muscle 283, 446, 674
Smooth muscle cells 9, 105, 446
Sodium channel 610
Sodium channel blockers 232
Sodium channel gating 400
Sodium current 84
Sodium homeostasis 461
Sodium-selective channels 232
Somatostatin-secreting cells 275
Spider toxin 400
Spontaneous electrical activity 283
Squid axon K^+ channel-SH groups 315
Staurosporine 60
Steady-state inhibition 499
Stomach fundus mucosa 648, 655
Strength/duration curve 224
Stretch-activated channel 60
Subdiaphragmatic vagotomy 127
Submandibular ductal cell line 439
Submandibular glands 516
Substance P 97
Substrate-free anoxia 142
Sulfhydryl groups(-SH) 315
Swelling-induced activation 597
Sympathetic innervation 425
Synapse 114
Synaptic transmission 418

T

Tamoxifen 364
Taxol 596
TEA 508
Tenidap 433
Tension 357
TE671/RD cell line 492
Tetraethylammonium 288, 382, 508, 516
Tetrodotoxin 610
Tetrodotoxin (TTX) 232
Tetrodotoxin-blockable depolarization-activated Na^+ currents 91
Tetrodotoxin-resistant sodium current 400
Thapsigargin 275, 439, 583
Thapsigargin-sensitive store 51
Thermoregulation 671
Thyrotropin-releasing hormone 17
Timing of channel opening 114
Tissue sclices 610
Toad urinary bladder 1
TPEN 461
Transepithelial measurements 648
Transepithelial voltage 597
Transgenic mice 508
Treadmill running 346
Tubulin 596
Tumour cells 364
Tumour necrosis factor 197
Twitch muscle fibres 224

U

Urea 552
Urea on K^+ fluxes 552
Urinary bladder 1
Urine concentration 410

V

V2 receptor antagonists 410
Vagal stimulation of the liver 26
Vascular endothelial cells 596
Vasodilatation 526
Vasodilation 621
Vasodilators 604
Vasopressin responses 283
Vasopressin V2 receptors 410
Ventral respiratory group 250
Ventricular afterload 533
Ventricular cardiomyocytes 142
Ventricular myocytes 39, 415, 485
Ventromedial hypothalamic lesions 26
Verapamil 641
Veratridine 142
Versutoxin 400
Vertebrates 372
Vesamicol 114
Vesicular release 69
Voltage activation of Cl^- conductance 641
Voltage clamp 209, 288, 307
Voltage clamp whole-cell 105
Voltage-activated K^+ currents 209
Voltage-activated Na^+ and K^+ currents 610
Voltage-dependent inactivation 39
Voltage-gated channels 340
Voltage-gated ion channels 610
Voltage-gated K^+ currents 382
Voltages-gated K^+ channel 422
Volume measurement 94
Volume regulation 94, 364
Volume regulatory responses 60
Volume-activated Cl^- currents 364

W

Water channel 455
Whole-cell patch-clamp 400
Whole-cell recording 241
Whole-cell voltage clamp 105, 209
Wistar Kyoto rats (WKY) 533

X

Xenopus laevis oocytes 217
Xenopus oocytes 186, 382, 422, 604